# Dimensional parameters of intelligent cold aisle for power systems

## Overview

Detailed Explanation of Technical Architecture and Core Components The entire system is mainly composed of four core modules: cabinet system, power distrib.

## Key Takeaways

Intelligent cold aisle containment systems typically feature aisle widths from 972 mm to 1860 mm, top panel heights above 2 meters, and modular designs for flexible deployment and energy-efficient airflow management.

### Key Dimensional Parameters

Aisle Width: Cold aisle containment systems are designed to accommodate standard rack layouts with aisle widths ranging from 972 mm (3 ft) to 1860 mm (6 ft), allowing for single or dual-row configurations depending on server density and maintenance requirements (Schneider Electric). Top Panel Height: The containment top panels are generally 350 mm higher than the cabinet tops, with a net height above 2 meters when the top panel is removed, ensuring sufficient clearance for daily maintenance and airflow management (Artic Fiberoptic). Panel and Frame Dimensions: Modular frame designs allow for easy installation and customization, with top panels typically around 1305 mm in width.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

The modular approach supports rapid deployment, future expansion, and integration with variable-height racks (Artic Fiberoptic, Schneider Electric). Rack Compatibility: Intelligent cold aisle systems are compatible with 42U to 52U racks, and can be configured with vertical ducts for hot aisle architectures or flat roofs for cold aisle setups. This ensures adaptability to different server densities and cooling requirements (Schneider Electric).

Door and Access Options: Systems offer dual-sliding, single-sliding, breakaway, or curtain doors, providing both safety and operational flexibility. Hinged or swing doors may be used for emergency exits, while transparent top panels allow visual monitoring of airflow (Vertiv, Schneider Electric). Integration with Intelligent Controls: Advanced systems include active airflow controllers that adjust fan speeds based on air pressure, optimizing cooling efficiency and reducing energy consumption by up to 40% (Schneider Electric).

Pressure control and variable-speed fan management are essential for energy-efficient operation in high-density deployments (Vertiv). Modularity and Expansion: Most aisle containment components are modular, enabling quick on-site deployment, flexible reconfiguration, and “pay-as-you-grow” expansion strategies. This modularity supports both small-to-medium and large-scale data center scenarios (GZLAIN, Artic Fiberoptic).

## Practical Considerations

Ensure alignment of cabinets in a hot aisle/cold aisle layout to maximize cooling efficiency. Maintain proper sealing and airflow control to prevent mixing of hot and cold air, which can reduce cooling costs by 20–50% (Artic Fiberoptic). Consider integration with liquid cooling or rear-door heat exchangers for high-density power systems to further enhance thermal management (Wevolver).

Use transparent or adjustable panels to allow visual inspection and maintenance without disrupting airflow (Vertiv). By adhering to these dimensional parameters and modular design principles, intelligent cold aisle containment systems can significantly improve cooling efficiency, reduce energy consumption, and support scalable deployment in modern data centers.

*© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved*

## Article Content

Detailed Explanation of Technical Architecture and Core Components

The entire system is mainly composed of four core modules: cabinet system, power distribution system, aisle containment system, and power and environment monitoring system. All

AISLE CONTAINMENT

Aisle containment in the data center requires that cabinets are aligned in a hot aisle/cold aisle layout. Containment panels or strips create a partition to isolate either the server supply air (cold aisle

tsh_it_gangschottung_en.book

In order to efficiently ensure the necessary cooling, Rittal has developed three cooling variants for aisle containment. Two solutions use containment of the cold aisle, while the third is based on hot aisle

VertivTM SmartAisleTM

With its flexible row-based design, adjustable airflow controls, and advanced monitoring capabilities, the CRV delivers precise cooling where it''s needed, assisting optimal performance and reliability of your

COMBINING COLD AISLE CONTAINMENT WITH INTELLIGENT

Vertiv recommends a comprehensive eficiency management platform that combines cold aisle containment technology with intelligent environmental controls to deliver greater than 30 percent

Numerical analysis of the individual and combined effects of the aisle ...

High-fidelity CFD is key for robust and efficient urban edge data center design. This study examines the cooling performance of edge data centers deployed in urban environments, where

Numerical and experimental investigations on thermal management

Thermal control is enhanced using overhead downward flow with cold aisle containment. Effects of supply air temperature and velocity on data center performance are studied. A good power

APC NetShelter Aisle Containment | Schneider Electric USA

Active flow controller automatically adjusts fan speeds based on air pressure, saving up to 40% fan energy. Choose from dual-sliding, single sliding, breakaway or curtain doors based on your needs.

*© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved*

Cold Aisle Containment | Legrand

By isolating the cold aisle, containment reduces unintended mixing of cold supply air with hot exhaust air, maintaining uniform, predictable temperatures across all racks.

A DEEP DIVE INTO THE WORLD OF HOT & COLD AISLE

THE GREEN GRID: ASHRAE Data Center Cooling Guidelines: Developed in collaboration with ASHRAE, this document provides best practices for data center cooling, including hot and cold aisle

COMBINING COLD AISLE CONTAINMENT WITH INTELLIGENT

The most energy efficient and reliable solution is to provide focused cool air at the right temperature and volume directly to the IT equipment, and maintain those parameters even when conditions in the

OPTIMIZED ENERGY EFFI-CIENCY WITH CONTROLLED COLD AISLE

Many have already implemented the basic separation of cold air from warm air with dummy (blanking) panels, bushings for cable entry, cold aisle containment, etc. The data center can be further

A DEEP DIVE INTO THE WORLD OF HOT & COLD AISLE

AISLE CONTAINMENT Aisle containment is a crucial strategy in data center management. It involves the use of physical barriers or enclosures at the end of server aisles to separate hot and cold

Data Center Design: Hot Aisle & Cold Aisle – Length and Width ...

Proper aisle planning isn''t just about airflow—it''s about optimizing safety, serviceability, and system efficiency. By adhering to these length and width standards, data center designers can enhance

AISLE CONTAINMENT

The aisle containment system is a modular rowbased thermal containment solution, which separates cold and hot data center air streams to and from equipment. It manages airflow at the source,

Aisle Containment Systems

Aisle Containment Systems from Emerson Network Power are designed to optimize the eficiency, design and operation of your data center infrastructure. A comprehensive selection makes it easy to

Hot-Aisle vs. Cold-Aisle Containment for Data Centers Revision 1

*© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved*

A cold-aisle containment system (CACS) encloses the cold aisle, allowing the rest of the data Cold-aisle center to become a large hot-air return plenum. By containing the cold aisle, the hot and cold

Vertiv SmartAisle

Vertiv Smart Aisle Efficiency. Capacity. Availability. Control. The SmartAisle offering optimizes infrastructure deployment and management with an intelligent row

## Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

*© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved*