Eye graph length

Overview

Computer-based alternatives to the eye chart have been developed, but are not very common prior to smart phones with high display resolution and DPI becoming popular. They have several potential advantages, such as a more precise measurement, less examiner-induced bias and randomized optotypes.

Key Takeaways

Eye graph length refers to the axial length of the eye, which is the distance from the front (cornea) to the back (retina) and is commonly tracked using growth charts to monitor eye development and myopia risk.Understanding Axial Length

The axial length of the eye is a key measurement in ophthalmology and optometry, representing the distance from the cornea to the retina. It is crucial for assessing refractive errors, particularly myopia (nearsightedness), as longer axial lengths are associated with higher myopia risk. In children, axial length typically increases with age as part of normal eye growth, a process called emmetropization .

Estimating Axial Length

If a biometer is unavailable, axial length can be estimated using corneal curvature and refractive error. This method provides a guideline rather than a diagnostic measurement and is most accurate for children aged 8–12 years. Estimated values may deviate by ±0.73 mm or ±3% from actual measurements, with 95% of estimates within approximately three-quarters of a millimeter of the true axial length .

Axial Length Growth Charts

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Growth charts for axial length function similarly to height or weight charts in pediatrics. They allow clinicians and parents to:

• Compare a child's axial length to age-based norms (centiles)

• Monitor eye growth over time

• Predict the risk of developing myopia

• Evaluate the effectiveness of myopia control interventions For example, a child whose axial length is above the 75th centile is considered at higher risk for future myopia. Tracking changes across centiles can indicate progressive myopia if the child moves to higher centile bands over time .
Practical Use
• Initial assessment: Plot the child's axial length on the growth chart to understand baseline risk.

• Monitoring: Repeated measurements over months or years help track growth trends.

• Intervention evaluation: If myopia control treatments are applied, axial length charts can show whether growth is slowing relative to expected norms .
Summary

Eye graph length, or axial length, is a critical metric for understanding eye growth and myopia risk in children. It can be measured directly with a biometer or estimated using corneal and refractive data. Growth charts provide a visual tool to track development, compare against age-based norms, and guide clinical decisions in myopia management .

Article Content

Eye chart

OverviewAlternativesHistoryProcedureVariationsTechnical details

Computer-based alternatives to the eye chart have been developed, but are not very common prior to smart phones with high display resolution and DPI becoming popular. They have several potential advantages, such as a more precise measurement, less examiner-induced bias and randomized optotypes. Computer-based alternatives to traditional eye charts also incorporate innovative technologies that en

Eye in Numbers

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Eye in NumbersBiopsy SizesInstrumentsVisual Acuity and Visual Acuity TestingImportance of TimeImportant DosesReferencesThe Goldmann applanation tonometer measures the force necessary to flatten a corneal area of 3.06 mm diameter.See more on eyewiki Wikipedia

Snellen chart - Wikipedia

In the most familiar acuity test, a Snellen chart is placed at a standard distance: 6 metres. At this distance, the symbols on the line

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved