

Fiber optic channel of-300



Overview

Model FO300 The FO300 is a prism-based multichannel fiber optic rotary joint (FORJ). It is a passive and bidirectional device which can be used Fibre Optic.

Key Takeaways

Fiber optic cable channel 300 typically refers to either a 300mm-wide raceway for cable protection or a 300-meter fiber optic cable assembly for network deployment. 300mm Fiber Optic Channels / Raceways

A 300mm fiber optic channel is a straight or curved raceway designed to route, protect, and manage fiber optic cables in data centers, telecom rooms, and other critical environments. These channels are often made from flame-retardant, halogen-free materials (PC+ABS-FR UL 94V-0) and feature tool-free installation for quick placement or removal of covers, ensuring cables are shielded from physical damage and contaminants. Key features include:

- Modular design for easy expansion and capacity management
- Bend radius protection (typically $\geq 50\text{mm}$) to prevent fiber stress
- Compatibility with straight and curved fittings for complex routing
- Color options (e.g., yellow RAL 1018, black RAL 9005) for identification
- Applications: Central Offices, Head-ends, Remote Offices, Data Centers, and Wiring Closets

300-Meter Fiber Optic Cable Assemblies

A 300m fiber optic cable assembly is a pre-terminated or bulk cable used for long-distance network connections. These cables can be single-mode or multi-mode, with specifications such as:

- Six-strand single-mode (G.657.A2)
- Outer diameter: ~6.0 mm, fiber strand diameter: 0.25 mm
- Outdoor-rated jacket with ripcord, weatherproof tape, and Kevlar for tensile strength
- Insertion loss: ≤ 0.5 dB/km at 1310 nm and 1550 nm These assemblies are suitable for indoor and outdoor deployments, including backbone connections, campus networks, and telecom infrastructure .

Choosing Between Channel and Cable

- 300mm channel: Focuses on cable management and protection, ideal for structured cabling in buildings.
- 300m cable: Focuses on signal transmission over distance, ideal for connecting network equipment or extending fiber runs. By combining 300mm channels with 300m fiber cables, network engineers can ensure both efficient routing and reliable signal transmission, meeting international standards for safety, durability, and performance .

Article Content

Fiber Optic Raceways | Straight Channel 300mm | W/ Cover

Fiber Optic Cable ManufacturerFiber Optic Assemblies ProducerData Center Solutions ProducerAs a fiber optic cable assemblies producer and supplier in Turkey and an optical assemblies supplier for Europe and Asia, Samm Teknoloji has been providing high-quality and reliable fiber optic cable assemblies since 2006. Due to our fully equipped production facilities, laboratories and long-term expertise in fiber optics, we are able to produce a...See more on telecom.samm Brand: Samm TeknolojiAvailability: In stockmacartney

Multichannel Fiber Optic Rotary Joint (FORJ) - macartney

The FO300 is a prism based multichannel fiber-optic rotary joint (FORJ). It is a passive and bidirectional device which can be used

Contact Us

Continue your research online:

Website: <https://alfa-pro.co.za>

Technical inquiry: <https://alfa-pro.co.za/contact.html>

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

