How to configure the IP address of a TEFA industrial switch

Overview

How to Configure a Switch IP Address To configure an IP address on a network switch, follow these general steps. Exact commands and menus may vary by vendo.

Key Takeaways

You can configure a TEFA industrial switch IP address via its console, web GUI, or SSH by setting either a static IP or enabling DHCP, then saving and verifying the configuration.

Accessing the Switch Management Interface

Connect to the switch using a console cable, Ethernet cable to the management port, or SSH if the switch is already networked. Launch terminal software (e.g., PuTTY, Tera Term) for console access or open a web browser for GUI access. Log in using the default or previously configured username and password.

Configuring a Static IP AddressNavigate to Network Settings → IP Configuration in the web GUI or enter global configuration mode in CLI. Select Static IP.

Enter the I

P address, subnet mask, and default gateway appropriate for your network. If applicable, specify the management VLAN to ensure the IP is assigned to the correct interface. Save the configuration and reboot the switch if required.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Configuring DHCP

In the web GUI, select DHCP or “Obtain IP address automatically”.

In CL

I, enable the DHCP client mode on the management interface. Save the configuration and reboot if necessary. Verify that the switch has obtained an IP from the DHCP server.

If no DHCP server is available, the switch may fall back to a default IP.

Verification

Ping the switch from a connected computer to confirm connectivity.

Check the I

P address assignment in the web GUI or CLI. Ensure there are no IP conflicts with other devices on the network.

Best Practices

Perform I

P changes during a maintenance window to avoid network disruption. Back up configurations before making changes. Use secure protocols like SSH or HTTPS for management access.

Document the I

P address and VLAN assignments for future reference. Following these steps ensures that your TEFA industrial switch is correctly configured for network management and communication in an industrial environment.

Article Content

How to Configure a Switch IP Address

To configure an IP address on a network switch, follow these general steps. Exact commands and menus may vary by vendor and model, so refer to the switch manual or vendor

How to Configure IP Addresses on Industrial Managed Switches

This video is ideal for network engineers, plant IT specialists, and industrial automation professionals looking to strengthen their command over Layer 2/Layer 3 switch configuration.

Configuration manual for industrial switch

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

The industrial switch configuration manual is a detailed guide that instructs users on how to correctly install, configure, and optimize industrial-grade switch equipment.

Configuring Industrial Switches via the CLI_Blog_Newbridge

The specific steps for configuring industrial switches through the CLI may vary depending on the device model and manufacturer. However, the general process is largely similar.

How to Set Up a Static IP Address for Industrial Automation

In this article, you''ve learned the basics of IP addresses and how to configure a static IP on your PC for PLC programming. With this setup, you''ll be able to connect directly with other

How do I manually add an IP address to a switch?

In this article, we will explore the steps to manually add an IP address to a switch, providing a comprehensive guide on how to configure your network device. Why Add an IP Address

PLC/HMI IP Address Configuration

To enable proper communication between a PLC and an HMI, both devices must be configured with the correct IP address settings. This guide explains the basic concept and practical

A Step-by-Step Guide to Configure Your Network Switch

Configure basic settings: Once you''re logged in, you will be able to configure basic settings for the switch, such as the hostname and IP address. Follow the prompts to set these values.

headTitleNoCommunity

First published on TECHNET on May 19, 2014 Storage Classification was introduced in System Center 2012 Virtual Machine Manager (VMM 2012) to provide the...

Full text of "NEW"

Full text of "NEW" See other formats Word . the, > < br to of and a : " in you that i it he is was for - with) on (? his as this ; be at but not have had from will are they -- ! all by if him one your or up her there

Troubleshooting UniFi Device Connectivity

Continue to step (2). Others: See LED Statuses for a complete list. Verify your UniFi device''s IP address. See below for a detailed walkthrough of this process. If the device does not have an IP

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Configure IP Address Settings on a Switch using the CLI

To remotely manage the device, an IP address must be defined to access the switch. This allows you to easily configure or troubleshoot the device through the web-based utility, Telnet, or Secure Shell

Configure IP Address Settings on a Switch using the CLI

This article provides instructions on how to configure the IP address settings on the Sx350, SG350X, Sx500, Sx500X series switches through the Command Line Interface (CLI).

Configure the Internet Protocol (IP) Address Settings on Cisco

This article provides instructions on how to configure the IP address settings on the Cisco Business series switches through the Command Line Interface (CLI).

How To Install And Configure Industrial Ethernet? | Guide

Key Takeaway To install and configure Industrial Ethernet, start by planning the network layout. Identify the devices to connect, such as PLCs, sensors, and actuators, and ensure you have the right

SIEMENS S7 1500/1200 Change CPU IP Address

Setting the IP-Protocol - IP-Address - Subnet mask - Router address Before you begin, you must set some parameters in the hardware configuration. Open the “Device view” in TIA portal

Setting the switch IP address

You can configure the SAN96B-5 with a static IP address, or you can use a Dynamic Host Configuration Protocol (DHCP) server to set the IP address of the switch.

How to Configure a Cisco Switch in 10 Steps

Configure IP Addresses With Telnet Access Step 6. Configure a Network Management IP Address (or Management Interface) Step 7. Assign a Default Gateway to the Switch Step 8. Disable

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved