How to view the parameters of Huijue optical modules

Overview

Huijue command to view optical module model | SFS Enclosure If an optical module is installed in a running device, you can run the display transceiver comm.

Key Takeaways

You can view Huijue optical module parameters using switch commands like display transceiver to monitor real-time diagnostics including wavelength, transmit/receive power, voltage, and temperature. Viewing Parameters on a Running SwitchIf the optical module is installed in a running Huawei switch or router, you can use the display transceiver command to retrieve detailed information about the module. This includes: Transceiver type (e.g., SFP, SFP+, QSFP+)Connector type (LC, MPO, etc.)Wavelength (center wavelength in nm)Transmission distance (supported fiber lengths)Receive (RX) and transmit (TX) optical powerVoltage and bias currentTemperature and alarm thresholdsVendor information and serial number For example, on Huawei 5700 series switches, the output shows parameters such as Transceiver Type, Wavelength, Transfer Distance, Digital Diagnostic Monitoring (DDM) status, Vendor Name, Temperature, Voltage, Bias Current, RX/TX Power, and alarm thresholds for each parameter.

Using Interface Commands

Check port link and transceiver status: Run display interface to view the port rate, transceiver type, link status (UP indicates normal), and traffic statistics. View all ports at once: Use display interface brief to list all ports and their transceiver information. Monitor real-time diagnostics: For eSFP or SFP+ modules, you can monitor voltage, temperature, bias current, and optical power in real time.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

A status of "Normal" indicates all parameters are within valid ranges. Reference from Hardware DocumentationIf you know the model or type of the Huijue optical module, you can also consult the Hardware Description section of the device documentation under "Pluggable Modules for Interfaces" to check: Supported fiber typesCenter wavelengthTransmission distanceReceive and transmit optical power ranges Best PracticesEnsure the module is properly seated and the top side is oriented correctly (especially for QSFP+ modules). Regularly monitor DDM parameters to detect early signs of degradation or faults.

Compare module parameters with vendor specifications to verify compatibility and performance. By following these steps, you can effectively view and monitor Huijue optical module parameters for operational management and troubleshooting.

Article Content

Huijue command to view optical module model | SFS Enclosure

If an optical module is installed in a running device, you can run the display transceiver command to view parameters of the optical module, including the center wavelength, transmission distance, fiber

Checking Optical Attenuation on Huijue Optical Switches

Use the command display transceiver to view the optical module information of all optical ports, and use the command display transceiver interface interface-type interface-number to view the optical module

Where are the optical modules in the Huijue switch

See the interface module via the optical display command information, including general information of the optical module, manufacturing information, and alarm information.

Huijue Switch Display Optical Module

If an optical module is installed in a running switch, you can run the display transceiver command to view parameters of the optical module, including the center wavelength, transmission distance, fiber types ...

Where are the optical modules in the Huijue switch

For details about the optical modules supported by optical ports on switches, see "Appearance and Structure" of a specific switch model in the Hardware Description.

How To View Port Status And Optical Module Information On Extreme ...

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

This document uses the Moduletek SFP-10G-LR-BIDI optical module installed on an Extreme X690-48x-2q-4c switch as an example to demonstrate how to view port status and optical

How to make Huijue compatible with other optical modules

You can also use the Hardware Center to query the components including optical modules supported by different switch models and the detailed specifications by part number, product model, and module type.

How to check optical loss on a Huijue switch

In this edition of Cisco Tech Talk, I''ll show you how to view the optical module status on a switch through the Command Line Interface also referred to CLI. Taking the Huawei 5700 series switches as an

6.25MWh Energy Storage Container System

Compact and reliable Huijue systems provide energy independence and efficiency for modern homes. Advanced PV-BESS -EV Charging Provider The Huijue Group''s Optical-storage-charging application

How to View Optical Module Parameters

If an optical module is installed in a running device, you can run the display interface transceiver command to view parameters of the optical module, including the center wavelength, transmission

How to View Optical Module Parameters

If you know the model or type of an optical module, you can view the section "Pluggable Modules for Interfaces" in the Hardware Description to look up parameters of the optical module, including the

10-14U Single-layer Outdoor Fan-type Cabinet

Compact and reliable Huijue systems provide energy independence and efficiency for modern homes. Advanced PV-BESS -EV Charging Provider The Huijue Group''s Optical-storage-charging application

How To View Optical Transceiver Information On Huawei Switches

Optical transceivers are widely applied in switches, network cards, routers and other communication devices. Checking transceiver parameters allows users to monitor real-time

1MWh Energy Storage Container System

HJ-G1000-1000F 1MWh Energy Storage Container System is a highly efficient, safe and intelligent energy storage solution developed by Huijue Group. The system

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

HUIJUE OPTICAL MODULE OPTICAL POWER ADJUSTMENT

Use the command display transceiver to view the optical module information of all optical ports, and use the command display transceiver interface interface-type interface-number to view the optical module

Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved