Remote Measurement of Small Busbar Voltage

Overview

Measurement of DC Voltage in Bus Bars For each method, it describes the measurement principle and examples of applications for measuring currents in busbar.

Key Takeaways

Remote busbar voltage can be accurately measured using capacitive voltage dividers, isolated ADC systems, or voltage drop methods with non-invasive probes.

Capacitive Voltage Divider Method

For A

C busbars, a capacitive voltage divider is commonly used to reduce the high busbar voltage to a measurable level without direct current flow. This involves placing a capacitor plate over an insulated busbar to form a first capacitor, with a second capacitor connected to ground to create a voltage divider. A voltage measurer then calculates the AC voltage based on the measured voltage at the capacitor plate, the known capacitances, and the frequency of the AC signal.

This method allows non-contact, remote measurement while minimizing leakage currents and maintaining safety.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Voltage Drop Measurement

For D

C busbars, a simple and widely used approach is to measure the voltage drop between two points on the busbar. Two probes are attached at a fixed distance, and the voltage difference is measured using a voltmeter or data logger. The busbar voltage can then be inferred using Ohm's Law, taking into account the conductor's resistance, cross-section, and temperature.

This method is practical for industrial applications like aluminium smelters and allows semi-permanent or portable measurement setups. Isolated ADC-Based MeasurementHigh-accuracy remote voltage measurement can also be achieved using isolated analog front-end (AFE) systems with delta-sigma ADCs. These systems scale the busbar voltage to the ADC input range using fixed-gain amplifiers and provide simultaneous multi-channel sampling.

Such designs allow integration with intelligent electronic devices (IEDs) or protection relays, enabling remote monitoring, fault detection, and data logging without direct electrical contact with the busbar.

Practical Considerations

Insulation and safety: Ensure proper insulation between the busbar and measurement device to prevent leakage or hazards. Temperature effects: Capacitor and conductor properties may vary with temperature, affecting measurement accuracy. Frequency and signal type: AC and DC busbars require different measurement approaches; capacitive dividers are suited for AC, while voltage drop or isolated ADCs are suitable for DC.

Integration with monitoring systems: Remote measurement systems can be connected to SCADA or data acquisition systems for continuous monitoring and analysis. By selecting the appropriate method—capacitive dividers for AC, voltage drop for DC, or isolated ADCs for high-accuracy applications—small busbar voltages can be measured remotely and safely with minimal interference to the system operation.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Article Content

Measurement of DC Voltage in Bus Bars

For each method, it describes the measurement principle and examples of applications for measuring currents in busbars, cathode collector bars, or anode rods. The choice of method depends on the

Contactless Measurement of Substation Busbars Voltages and

This paper presents a method for contactless measurement of instantaneous voltage and waveform reconstruction for use in a medium voltage (MV) indoor substation.

Knowledge Base PowerFactory

These elements implement the measurement of time-dependent data of a terminal/busbar. The element itself may be included in a cubicle of a terminal/busbar. To access this element you will need to

System for measuring the voltage of a busbar

G01R19/2503 — Arrangements for measuring currents or voltages or for indicating presence or sign thereof using digital measurement techniques for measuring voltage only, e.g. digital volt...

Isolated Busbar / SMD Current Sensor with Analog Output Reference

Utilizing WSBE and WSL low TCR shunt resistors, in addition to the VIA0050DD isolation amplifier, this design provides AC current measurement up to 1415 A for high voltage applications.

Research on Noncontact Voltage Measurement Method for Three

An NC voltage measurement system, dedicated to three-phase busbar in low-voltage distribution cabinets, is designed, and the system includes three-phase capacitively coupled voltage sensor, a

Contactless Measurement of Substation Busbars Voltages and

Voltage waveforms are reconstructed by artificial neural network (ANN) using the signals originating from electric field sensors located under MV bus. The method is validated by the

Bus Bar Theory of Operation

The high sensitivity and linearity of the two DRV425 devices allow small opposing magnetic fields to be sensed and the current to be measured with high-accuracy levels. The DRV425 devices are placed

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Non-intrusive voltage tap terminal for copper busbar

The solution was finally provided by the new RCM-VP voltage tap terminal, which optimizes the installation of Rogowski coils from the RCM range (or any other 8

Busbar fault diagnosis method based on multi-source ...

Therefore, by analyzing the small busbar differential current, it is possible to detect faults on the busbar and determine the fault type. Additionally, voltage transformers are installed on Busbar

Measurement of DC Voltage in Bus Bars

Measurement of Dc voltage in bus bars - Free download as PDF File (.pdf), Text File (.txt) or read online for free. This document summarizes different methods for measuring DC busbar currents in

Busbar Temperature Monitoring for High Voltage Switchgear: 8

For direct busbar temperature monitoring on energized medium and high voltage conductors, PT100 sensors present unacceptable safety and reliability constraints.

Voltage measurement at busbars | Download Scientific Diagram

3) The measurement of the conducted disturbance at the busbar was realized by a special measurement plug, working as a broad band capacitive voltage divider (Fig. 3).

Centralised busbar differential and wavelet-based line protection ...

The proposed algorithm utilises local voltage and current measurements from all transmission lines connected to a DC busbar, and current measurement from the DC side of the

Busbar Monitoring System | Real-Time Monitoring

Busbar Monitoring: Ensure Electrical Safety & System Integrity Advanced real-time monitoring of electrical distribution systems for maximum safety and reliability.

AN IMPROVED METHOD OF BUSBAR VOLTAGE

Such an indirect voltage measurement can be decomposed into two stages: conversion and reconstruction ones . The conversion stage includes the transformation of busbar voltages uB into

Research on Noncontact Voltage Measurement Method for Three

Under this background, this article proposes a noncontact (NC) voltage measurement method for three-phase busbar of low-voltage distribution cabinets. Injecting a high-frequency calibrating signal into

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

132 kV Busbar Contact Resistance Test: Method Statement

132 kV Busbar Contact Resistance Testing Busbars are essential components in high-voltage substations for safely and efficiently delivering electrical power. To make sure optimal

Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved