# Spatial light modulator output

## Overview

Correction is accomplished by using two spatial light modulators in series. The first performs the necessary amplitude modulation, also introducing a phase change.

## Key Takeaways

The output of a spatial light modulator (SLM) is a spatially controlled light pattern, where the intensity, phase, and/or polarization of the input light is modulated according to the programmed input.

### Overview of SLM Output

### An SL

M converts an input coherent light beam, typically from a laser, into a customized optical pattern. This output can vary in intensity, phase, and polarization across the beam profile, depending on the type of SLM and its modulation scheme. The output is determined by the input pattern provided via electronic or optical addressing, where each pixel on the SLM independently controls the light passing through or reflecting off it.

### Types of Modulation

Amplitude (Intensity) Modulation: The SLM adjusts the brightness of each pixel, producing a light pattern with varying intensity. This is common in digital micromirror devices (DMDs), where pixels switch between "on" and "off" states. Phase Modulation: The SLM changes the phase of the light wavefront without altering its intensity.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Liquid Crystal on Silicon (LCoS) SLMs are widely used for high-resolution phase control, enabling precise wavefront shaping. Polarization Modulation: Some SLMs can also control the polarization state of light, either alone or in combination with amplitude and phase modulation.

### Output Characteristics

Resolution and Pixel Control: The output pattern is defined by the SLM's pixel array.

### High-resolution SL

Ms can produce fine spatial features, with precise control over phase or intensity at each pixel. Uniformity and Contrast: The quality of the output depends on uniformity across pixels, contrast ratio, and the number of gray levels or phase steps achievable. Dynamic Patterns: Modern SLMs can update patterns rapidly, enabling dynamic beam shaping, holographic displays, or optical trapping.

Advanced devices can achieve frame rates up to millions of frames per second for high-speed applications.

### Applications of SLM Output

The modulated light output is used in: Holography and 3D displays: Encoding complex wavefronts to reconstruct images or holograms. Beam shaping and steering: Controlling laser profiles for microscopy, optical tweezers, or laser machining. Adaptive optics: Correcting wavefront distortions in telescopes or imaging systems.

Optical computing and data storage: Encoding information into light patterns for processing or storage. In summary, the SLM output is a programmable light field whose spatial properties—intensity, phase, and polarization—can be precisely controlled at the pixel level, enabling a wide range of optical applications from imaging to high-speed beam manipulation.

## Article Content

Spatial Light Modulator Principles

Correction is accomplished by using two spatial light modulators in series. The first performs the necessary amplitude modulation, also introducing a phase change.

Spatial Light Modulators

These high-power spatial light modulators have input ports compatible with HDMI* connectors and ship with two corresponding cables: one for connecting to an

Spatial light modulator via optically addressed metasurface

*© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved*

Emerging demands for dynamic wavefront modulation in holographic displays, augmented/virtual reality, and light detection and ranging require spatial light modulators (SLMs) with

spatial light modulator

A spatial light modulator (SLM) is a pixellated liquid crystal device that can individually control the phase value of each pixel. It imposes spatially varying modulation onto an incident beam, allowing for the

Spatial Light Modulation Principles

Correction is achieved using two spatial light modulators in series—the first performs amplitude modulation, while the second compensates for phase distortion,

Spatial Light Modulator (LCOS-SLM) | Santec AOC

High-output model for laser processing, 1kW-rated with near infrared wavelength. Enables holographic reproduction with smooth and rapid real-time response.

SLM-310 Spatial Light Modulator for High-Output Lasers

The spatial light modulator can split a single laser beam into multiple points and apply different patterns to each one simultaneously, allowing multiple areas to be

Spatial Light Modulators

We develop custom spatial light modulators with segmented micromirror arrays and a high pixel count—tailored for demanding industrial applications. Our advanced

Rotating single atoms in a ring lattice generated by a spatial light ...

We have generated multiple micrometer-sized optical dipole traps for neutral atoms using holographic techniques with a programmable liquid-crystal spatial light modulator.

High-speed nanophotonic spatial light modulators

Demonstrate a nanophotonic-enabled spatial light modulator with both amplitude and phase modulation capabilities at a speed greater than 1Gbps. The proposal should provide

PLUTO-2 Phase LCOS Spatial Light Modulator

The PLUTO-2 phase only Spatial Light Modulator (SLM) consists of a driver unit with standard digital video interface (HDMI) and a phase only LCOS (Liquid Crystal on Silicon) microdisplay with full HD

Ultrafast, reconfigurable all-optical beam steering and spatial light ...

*© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved*

Additionally, we observe signatures of ultrafast pump self-modulation and self-diffraction, frequency conversion, and show ultrafast all-optical spatial light modulation.

Microscale Temperature Shaping Using Spatial Light Modulation on

For this reason, this new approach yields a slightly poorer spatial resolution compared to the lithography approach. However, this limited spatial resolution may not be a problem for many

Color night vision correlation imaging without an infrared focal plane ...

In the experimental device, the two-wavelength infrared laser beam reflected by the target is modulated by a spatial light modulator, and the output light is detected by a photomultiplier tube. Two infrared

Revenue Forecast for Reflective Spatial Light Modulators ...

The "Reflective Spatial Light Modulators Market" is experiencing higher than anticipated demand compared to pre-pandemic levels. Additionally, this exclusive Report presents qualitative

Metasurface-based SLM could enhance AR, VR and

A new spatial light modulator The metasurface developed by Fan, Xiong, and their colleagues is comprised of small structures that can control light.

Spatial light modulator

Spatial light modulator Schematic of a liquid crystal-based Spatial Light Modulator. Liquid crystals are birefringent, so applying a voltage to the cell changes the effective refractive index seen by the

Spatial Light Modulation Principles

They''re used in research exploring neurovascular units, outer retina, and rpe cells (relevant in studies of age-related macular degeneration), where light pulses, output power, and spatial light modulation

*© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved*

## Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

*© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved*