TCR in relay protection

Overview

In such applications, there are usually combinations of thyristor-controlled reactors (TCR) and thyristor switched capacitor banks (TSC).

Key Takeaways

Thyristor-Controlled Reactors (TCRs) require specialized relay protection to detect turn-to-turn faults and ensure safe, reliable operation within SVC systems.

Overview of TC

Rs in Power SystemsA TCR is a key component of a Static VAR Compensator (SVC), used to provide rapid, continuously variable inductive reactive power compensation. It operates by controlling the firing angle of thyristors to adjust the current through the reactor, thereby regulating reactive power in response to system voltage changes.

TC

Rs are often combined with thyristor-switched capacitors (TSCs) to achieve a full range of reactive power control from lagging to leading values. Common Faults in TCRsThe most critical fault in TCRs is a turn-to-turn fault within the reactor winding. These faults occur due to insulation degradation over time and are difficult to detect.

If undetected, they can cause severe damage, safety hazards, and extended maintenance outages, reducing SVC availability. Other potential issues include unbalanced currents and harmonics, which can complicate protection schemes, especially in delta-connected TCRs.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Relay Protection Strategies

Differential Relays

Multifunction current differential relays are commonly used to protect TCRs. They compare currents entering and leaving the reactor to detect internal faults. Proper coordination with SVC control systems is essential to avoid false tripping during normal operation or harmonic injection.

Turn-to-

Turn Fault Detection

Specialized logic is often implemented to detect turn-to-turn faults in TCRs. Conventional protection schemes may struggle due to delta connections and unsymmetrical operation. Advanced protection may include monitoring for abnormal current patterns, harmonic content, or sudden changes in reactor impedance.

Coordination with SVC ControlsRelay settings must account for the dynamic operation of the SVC. During normal conditions, TCRs may inject inductive current to balance capacitive filters, while during disturbances, the TCR current is modulated to provide reactive support. Protection relays must distinguish between normal control actions and actual faults.

Practical Considerations

High X/

R Ratio: TCRs typically have high reactance-to-resistance ratios, affecting fault current characteristics and relay response. Harmonic Filters: Presence of harmonic filters can influence relay performance; some relay features like harmonic blocking may need careful configuration. Integration with TSCs: When TCRs operate alongside TSCs, protection schemes must ensure coordinated response to avoid misoperation during switching events.

Conclusion

Effective relay protection for TCRs involves a combination of differential relays, specialized turn-to-turn fault detection logic, and careful coordination with SVC control systems. This ensures rapid fault detection, minimizes damage, and maintains the availability and reliability of reactive power support in the power system.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Article Content

01 SVC Protection Lessons_Draft2

An analysis of event reports for TSC and TCR faults are presented to demonstrate the strengths and weaknesses of typical protection methods, and to highlight common misconceptions in the

Thyristor-Controlled Reactor Protection VAR Compensator

This paper provides insight into unique aspects of TCR protection in SVCs, examines conventional protection for reactor turn-to-turn faults, and describes their limitations and challenges in TCR

Shunt reactor fundamentals: Connections in the

In such applications, there are usually combinations of thyristor-controlled reactors (TCR) and thyristor switched capacitor banks (TSC). These

Comparing Effects of TCR and TSC on MHO Distance Protection Setting

The effects of SVC devices i.e. Thyristor Controlled Reactor (TCR) and the Thyristor Switched Capacitors (TSC) insertion, on the total impedance of a transmission line protected by MHO distance

SVC Protection Strategies and Challenges

Modern microprocessor-based relays enhance protection in SVC systems by using digital filtering techniques to eliminate decaying DC offsets and harmonics, allowing accurate calculation of

Thyristor-controlled reactor

In an electric power transmission system, a thyristor-controlled reactor (TCR) is a reactance connected in series with a bidirectional thyristor valve. The thyristor valve is phase-controlled, which allows the

TCR Thyristor Controlled Reactor And Thyristor Switched Capacitor

The TCR reactor is divided into two halves, with the thyristor valves are connected between the two halves. Hence it will protect the vulnerable thyristor valve from the high voltage electrical short circuit

Practical handbook for relay protection engineers | EEP

Relay protection circuitry This handbook covers the code of practice in protection circuitry including standard lead and device numbers, mode of connections at terminal strips, colour codes in

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

BROCHURE Enviline TM TCR Traction Controlled Rectifier

Enviline TCR – Traction Controlled Rectifier Maximizing the distance, balance and stability of the DC line — 01 Traction Controlled Inverter ly is the most often used electricity source nowadays. However,

Thyristor Controlled Reactor: Working Principle and Applications

Have you ever wondered how power systems maintain stability and control voltage fluctuations? Understanding Thyristor Controlled Reactors (TCRs) Thyristor Controlled Reactors

Microsoft Word

Researchers use relay model to investigate and improve protection design and algorithms. However, simulating numerical relays to choose appropriate settings for the steady state operation of over

Protective Relays: Overcurrent and Safety Relays | TE ...

TE offers types of protective relays from overcurrent relays to safety relays that trips a circuit breaker when a fault is detected such as overcurrent, overvoltage, etc.

Single Function Relays

Description The solid-state TCR9C series relays are designed for dedicated temperature control of resistive loads. These relays feature a single setpoint controller with high-current, solid-state output.

Thyristor Controlled Reactor (TCR) and Thyristor

What are Thyristor Controlled Reactor (TCR) and Thyristor Switched Capacitor (TSC)? Thyristor Controlled Reactor stands for Thyristor Controlled Reactor. In

Types of Protection Relays and Testing procedures

Regular testing and maintenance of protection relays are essential to verify their proper operation, detect faults, and mitigate risks. By conducting comprehensive testing procedures, power

Fundamentals of Modern Protective Relaying

A primary motor protective element of the motor protection relay is the thermal overload element and this is accomplished through motor thermal image modeling. This model must account for thermal

doi: 10.1007/978-3-319-20919-7_3

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Rules for protecting a network using overcurrent relays. Requirements for instrumentation (number and locations of instrument trans-formers) and switching apparatus (number and locations of circuit

Feeder protection and control

Feeder protection, or more exactly protection for overhead lines and cables, is the most commonly used type of protection. The protection has to ensure that the power grid continues to supply energy. In

Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved