Technical Specifications for Optical Fiber Cables

Overview

Optical Fibre Cable Technical SpecificationThis Specification covers the design requirements and performance standard for the supply of optical fibre cable.

Key Takeaways

Optical fiber cables are specified by fiber type, core diameter, attenuation, bandwidth, cable construction, and connector type, which together determine performance and suitability for different applications.

Fiber Types

Singlemode Fiber (SMF): Has a small core diameter of about 9 microns, designed for long-distance, high-speed transmission with minimal signal loss. Common standards include OS1 and OS2, with attenuation typically 0. 3–0.

4 dB/km and bandwidth up to 500 MHz·km at 1310 nm. Multimode Fiber (MMF): Larger core diameters (50 or 62. 5 microns) support multiple light modes, suitable for shorter distances.

OM3, OM4, and OM5 are common types, optimized for high-speed LANs and data centers.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Core and Cladding

Core: The central glass or plastic strand that carries light signals. Cladding: Surrounds the core with a lower refractive index to confine light via total internal reflection.

Coating/

Buffer: Plastic layers protect the fiber from physical stress and bending.

Attenuation and Bandwidth

Attenuation: Measured in dB/km, indicates signal loss. Lower values allow longer transmission distances without amplification. Bandwidth: Determines data rate capacity.

Singlemode fibers support higher bandwidth over longer distances, while multimode fibers are optimized for shorter, high-speed links.

Cable Construction

Strength Members: Kevlar or aramid fibers provide tensile strength. Outer Jacket: Protects against environmental factors like moisture, chemicals, and UV exposure. Configurations: Simplex (single fiber), duplex (two fibers), and multi-core (up to 24 or more fibers) for higher capacity.

Connectors and Terminations

Common connectors include LC, SC, ST, MPO/MTP, and CS, chosen based on space, environment, and network requirements. Pre-terminated solutions simplify installation and improve reliability, especially in data centers. Environmental RatingsPlenum-rated cables: Suitable for air-handling spaces.

Outdoor-rated cables: Resistant to UV, moisture, and temperature extremes. Armored cables: Provide extra protection in harsh environments.

Summary

When selecting optical fiber cables, key specifications to consider include fiber type, core size, attenuation, bandwidth, cable construction, connector type, and environmental rating. These factors ensure optimal performance for the intended distance, data rate, and installation conditions.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Article Content

Optical Fibre Cable Technical Specification

This Specification covers the design requirements and performance standard for the supply of optical fibre cable in the industry. YOFC ensures a stable quality control system for our cable products

FibreFab-Fibre-Optic-Cable-Catalogue

The Optronics fibre optic cable range includes simplex, suplex and flat ribbon patchcords, tight buffered, single loose tube and multi-loose tube distribution cables for internal and external applications as

Recommendation ITU-T L.103 (08/2024)

This document outlines the recommendations for single-mode optical fiber cables used in telecommunication networks within buildings, focusing on their mechanical and environmental

Recommendation ITU-T G.652 (08/2024)

This document outlines the specifications for a single-mode optical fiber and cable designed for use around the 1310 nm zero-dispersion wavelength, suitable for both the 1310 nm and 1550 nm regions,

Fiber Optic Cables Technical Data

Many glass fiber optic cables are available with different glass fiber bundle diameters. Larger diameter bundles contain more fibers to carry light between the sensor and application.

Opti-Core Fibre Optic Indoor-Outdoor 4 Fibre Cable ...

SPECIFICATIONS in up to 24 fibres and have an all-dielectric loose tube construction. It shall be suitable for indoor applications, complying with IEC standards for l w smoke / zero halogen and

Fibre Specification | Technicals | Belcom Cables

The fibres are designed for its use at the wavelengths of 850 nm and 1300 nm. These fibres are suitable for use in premises wiring applications, like Local Area Networks (LAN) with video, data and voice

Specifications For Fiber Optic Networks

The Fiber Optic Association - Reference Guide Specifications For Fiber Optic Networks Per current standards and specs, maximum supportable distances and attenuation for optical fiber applications

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

IEC 60794-1-220:2022

IEC 60794-1-220 Standard Overview and Technical Background IEC 60794-1-220:2022, published by the International Electrotechnical Commission (IEC), is a key component of the general

Ericsson RPM 253 0292 Series | Outdoor CPRI FTTA fiber optic cable ...

Quick Navigation Product Overview Technical Specifications Key Features Our Services FAQ Contact Us Product Overview FullAXS Fiber-to-the-Antenna Connector next generation WIMAX technology

The FOA Reference For Fiber Optics

The angle of total internal reflection defines the "numerical aperture" (NA) of the fiber, a standard fiber specification. More about total internal reflection in optical

TLC Distribution Fiber Optic Cable with Aluminum Interlocking Armor, 6

OverviewThis distribution-style fiber optic cable features 6 optical fibers constructed with a 900um tight buffer. The cable is reinforced with aluminum interlocking armor to provide physical protection for the

ADSS Cable Manufacturer

All-Dielectric Self-Supporting (ADSS) Fiber Optic Cable Technical Specifications ... * Technical Note: The choice between PE and AT jackets is determined by the

TLC Indoor/Outdoor Fiber Optic Cable with Aluminum Interlocking

24-Fiber Configuration: Contains 24 individual 900um tight-buffered fibers, facilitating high-density signal distribution. Corning® InfiniCor®300 Fiber: Utilizes 62.5/125um multimode optical fiber from a

24 Core ADSS Optical Fiber Cable: Specifications and

ADSS optical fiber cable with 24 cores is a high-performance, budget-friendly fiber release choice in utility and telecom networks. By being well-informed about its

What Is Fiber Patch Cord? Singlemode/Multimode,LC SC FC,UPC Vs

LC or SC connector? UPC or APC polish? This article systematically introduces fiber patch cord basics, optical specifications and full-range industry applications to help you make correct

TLC Micro Distribution Fiber Optic Cable, 72 Fiber, Singlemode, Yellow

Yellow subunit and jacket color, standard for identifying singlemode fiber in compliance with industry safety and identification guidelines. Fiber count scalability, with options available from 2 to 144 fibers

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Optical Fiber Types

For optical fiber specifications and standards, ISO and IEC collaborate on several Joint Technical Committees (JTC). IEC (International Electrotechnical Commission) – IEC addresses the electronics

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved